

Hydroids, but also between the free medusæ described under the names of *Lizzia*, *Hippocrene*, *Bougainvillia*, etc., the origin of which has been traced to Hydroids

- Hippocrene*, Agassiz, Mem. American Acad., 1849, p. 250, Pls. I. II. III.
- " McCrady, Proc. Elliot Soc., Charleston, S. C., 1858, p. 61.
- Bougainvillia*, Lesson, Annales Sciences Nat., 1836, Vol. V. p. 262.
- " Lesson, Voyage de la Coquille, Tom. 2, Part II. 2d Div., 1838 (*Cyanea Bougainvillii*, Pl. XIV. Fig. 3. Atlas du Voyage, 1826).
- " Lesson, Hist. Nat. Zooph. Acul., Suites à Buffon, 1843, p. 290.
- " Forbes, Brit. Naked-eyed Med., 1848, p. 61, Pl. XII. Figs. 1 and 2.
- " Wright, Edinb. New Phil. Journal, 1859, Vol. IX. p. 108, Pl. I. Figs. 1 and 2.
- Geryonia*, Blainville, Manuel d'Actinologie. Nouvelles additions, p. 662, 1836 (for date see p. 687).
- Medusa ocellia*, Dalyell, Remark. Animals of Scotland, 1847, Vol. I. p. 66, Pl. XI. Fig. 10, &c.
- Eudendrium*, VanBeneden (non Ehrenberg) (*E. ramosum*, exclus. synonymy), Nouv. Mém. Acad. Bruxelles, 1844, XVII. p. 55, Pl. IV.
- " (VanBeneden, non Ehr.) (Gegenbaur (*E. ramosum*), Carus Icones Zoot., 1857, Pl. II. Figs. 3 and 4, and description.
- Tubularia ramosa* (non Linn.), Dalyell, Remark. Animals of Scotland, 1847, Vol. I. p. 64, Pl. XI.
- Atractylis*, Wright (*A. ramosa* = *Eudendrium ramosum*, VanB., non Ehr.), Edinburgh New Phil. Journal, 1859, Vol. IX. p. 108.
- ? *Perigonimus*, Sars, Fauna Littoralis Norveg., 1846, p. 8, Pl. I. Figs. 19, 20, and 21.
- ? *Fistulana* (*F. ramosa*), Fabricius, Fauna Grænland., 1780, p. 441, No. 451. Compare "*Ramosulos, &c., &c., longitudinaliter striatos*" with Sars' *Perigonimus*, "*Röhre, &c., &c., der Länge nach etwas wellenförmig gestreift.*"
- LIZZIA* Forbes, 1846.
- Lizzia*, Forbes, Annals Nat. Hist., 1846.
- " Forbes, Proc. Brit. Ass., 1847.
- " Forbes, Brit. Naked-eyed Medusæ, 1848, p. 64, Pl. XII. Figs. 3 and 4.
- " Gegenbaur, Generationswechsel, 1854, p. 22, Pl. II. Figs. 1-9.
- " Gegenbaur, Sieb. and Köll., Zeitschrift, 1857, VIII. Pl. VII. Figs. 5-9.
- " Claparède, Sieb. and Köll., Zeitschrift, 1860, X. p. 401, Pl. XXXII. Figs. 1, 2, and 3.
- Hippocrene*, Forbes, An. Mag. Nat. Hist., 1841, VII. p. 84.
- Bougainvillia*, Leuckart, Wieg. Archiv., 1856, I. p. 24, Pl. II. Fig. 2.
- ? *Podocoryne*, Sars, Faun. Litt. Norveg., 1846, p. 4, Pl. I. Figs. 7-18.
- " Sars, Faun. Litt. Norveg., 1846, p. 7, Pl. II. Figs. 5-11.
- " Sars, Nyt Magazin, 1856, Bd. 9, p. 144, Pl. II. Figs. 7-13.
- " Krohn, Wieg. Archiv, XVII Jahrg., Bd. I., 1851, p. 263.
- " Allman, An. and Mag. Nat. Hist., 1859, 2d ser., IV. p. 50.
- " Peach, Edinb. New Phil. Jour., 1856, IV. p. 163.
- " Peach, An. Mag. Nat. Hist., 1856, XVIII. p. 99, Pl. VIII.
- Cyrtis?* (*octopunctata*), Sars, Beskrivelser, 1835, p. 28, Pl. VI. Fig. 14.
- " " Sars, Wieg. Archiv, 1837, Bd. 1, p. 406.
- " " Sars, Fauna Litt. Norveg., 1846, p. 10, Pl. IV. Figs. 7-13.
- ? *Dysmorphosa*, Philippi, Wieg. Archiv, VIII Jahrg., Bd. 1, 1842, p. 37, Pl. I. Fig. 3.