

PLATE XXV.

	Page.
Fig. 1. ANOMOCARE ? PARVUM	209
1. View of type specimen, enlarged. Collection U. S. National Museum.	
Fig. 2. OLENOIDES TYPICALIS	183
2. View of type specimen, enlarged to 2 diameters. The free cheeks are displaced in the original and are restored from another specimen. Collection U. S. National Museum.	
2a. A very small head, greatly enlarged. The differences, as compared with fig. 2, are in the form of the glabella and glabellar furrows. Collection U. S. National Museum.	
Fig. 3. OLENOIDES LEVIS	187
3. View of the type specimen. Collection U. S. National Museum.	
3a. Lateral view of 3.	
Fig. 4. OLENOIDES ? FLAGRICAUDUS	185
4. View of the type specimen from Pioche, Nevada. Collection U. S. National Museum.	
Fig. 5. PTYCHOPARIA HOUSENSIS	201
5. View of the type specimen from Antelope Springs, Utah. Collection U. S. National Museum.	
Fig. 6. OLENOIDES SPINOSUS	184
6. View of type specimen from the Eureka district, Nevada. Natural size. Collection U. S. National Museum.	
6a. Head of this or a closely allied species from Pioche, Nevada. Preserved in an arenaceous shale. Collection U. S. National Museum.	
Fig. 7. OLENOIDES NEVADENSIS	181
7. View of the type specimen of the genus and species from Antelope Springs, Utah. Collection U. S. National Museum.	
Fig. 8. OLENELLUS ASAPHOIDES	168
8. Enlargement of a bit of the shell of the free cheek. From Troy, New York. Collection U. S. National Museum. (See plate xvii.)	
Fig. 9. ASAPHISCUS WHEELERI	220
9. Hypostoma, enlarged. (See plate xxxi, fig. 3.) Collection U. S. National Museum.	