tails, i. 153; Lotan tumbler pigeons, i. 157; number of tail-feathers in Ectopistes, i. 67; on Columba affinis, i. 192; pigeons roosting in trees, i. 190; on Columba leuconota, i. 191; on Columba intermedia of Strickland, 1. 193; variation in colour of croup in pigeons, i. 193, 194, 206; voluntary domestication of rock-pigeons in India, i. 194; feral pigeons on the Hudson, i. 200; occurrence of subspecies of pigeons, i. 214; notice of pigeon-fanciers in Delhi, &c., i. 215; hybrids of Gallus sonneratii and the domestic hen, i. 245; supposed hybridity of Gallus temminckii, i. 246; variations and domestication of Gallus bankiva, i. 247, 248; crossing of wild and tame fowls in Burmah, i. 248: restricted range of the larger gallinaceous birds, i. 249; feral fowls in the Nicobar Islands, i. 249; blackskinned fowls occurring near Calcutta, i. 269; weight of Gallus bankiva, i. 286; degeneration of the turkey in India, i. 310, ii. 267; on the colour of gold-fish, i. 312; reversion from a cross, ii. 15; on the Ghor-Khur (Asinus indicus), ii. 17; on Asinus hemionus, ii. 17; number of eggs of Gallus bankiva, ii. 90; on the breeding of birds in captivity, ii. 140; co-existence of large and small breeds in the same country, ii. 268; on the drooping ears of the elephant, ii. 291; homology of leg and wing feathers, ii. 315.

BOETHIUS on Scotch wild cattle, i. 88.

BOITARD and Corbié, on the breeds of pigeons, i. 138; Lille pouter pigeon, i. 145; notice of a gliding pigeon, i. 164; variety of the pouter pigeon, i. 170; dove-cot pigeon, i. 194; crossing pigeons, i. 202, ii. 75, 107; sterility of hybrids of turtle-doves, i. 203; reversion of crossed pigeons, i. 207, ii. 14; on the fantail, i. 218, ii. 42; on the trumpeter, ii. 42; prepotency of transmission in silky fantail, ii. 42, 44; secondary sexual characters in pigeons, ii. 50; crossing of white and coloured turtledoves, ii 70; fertility of pigeons, ii. 91.

BOMBYCIDÆ, wingless females of, ii. 289.

Bombyx hesperus, ii. 294.

- Bombyx huttoni, i. 318.
- Bombyx mori, i. 317-321.
- BONAFOUS, on maize, i. 338, 339.
- BONAPARTE, number of species of Columbidæ, i. 139; number of tailfeathers in pigeons, i. 167; size of the feet in Columbidæ, i. 183; on Columba guinca, i. 192; Columba turricola, rupestris and schimperi, i. 193.
- Bonatea speciosa, development of ovary of, i. 434.
- BONAVIA, Dr., growth of cauliflowers in India, ii. 301.
- BONER, Mr., semi-feral sheep, ii. 5.
- BONES, removal of portions of, ii. 286; regeneration of, ii. 284; growth and repair of, ii. 377.
- BONIZZI, on pigeons, i. 138, 170.
- BONNET, on the salamander, ii. 357, 385; theory of reproduction, ii. 351, 370.
- BORCHMEYER, experiments with the seeds of the weeping ash, i. 462.
- Borecole, i. 341.
- BORELLI, on Polish fowls, i. 260.
- BORNEO, fowls of, with tail-bands, i. 246.
- BORNET, E., condition of the ovary in hybrid *Cisti*, i. 415; self-impotence of hybrid *Cisti*, ii. 122.
- Borrow, G., on pointers, i. 44.
- BORY DE SAINT-VINCENT, on gold-fish, i. 313.
- Bos, probable origin of European domestic cattle from three species of, i. 86.
- Bos frontosus, i. 85.
- Bos indicus, i. 82.
- Bos longifrons. i, 83, 85, 86.
- Bos primigenius, i. 83-84, 86, ii. 98.
- Bos sondaicus, ii. 191.
- Bos taurus, i. 82.
- Bos trochoceros, i. 85.
- Bosc, heredity in foliage-varieties of the elm, i. 385.
- Bosse, production of double flowers from old seed, ii. 151.
- Bossi, on breeding dark-coloured silkworms, i. 319.
- BOSMAN, on dogs of Guinea, i: 40.