

- of the guans in captivity, ii. 139; fertility of geese in captivity, ii. 140; white pea-fowl, ii. 326.
- DOBELL, H., inheritance of anomalies of the extremities, i. 458; non-reversion to a malformation, ii. 10.
- DOBRIZHOFFER, abhorrence of incest by the Abipones, ii. 103.
- DOGS, origin of, i. 15; ancient breeds of, i. 17, ii. 424; of Neolithic, Bronze and Iron periods in Europe, i. 18, 19, ii. 423; resemblance of, to various species of Canidæ, i. 21; of North America compared with wolves, i. 21, 22; of the West Indies, South America, and Mexico, i. 23, 32; of Guiana, i. 23; naked dogs of Paraguay and Peru, 24, 31; dumb, on Juan Fernandez, i. 27; of Juan de Nova, i. 28; of La Plata, *ibid.*; of Cuba, *ibid.*; of St. Domingo, *ibid.*; correlation of colour in, i. 28, 29; gestation of, i. 30, 31; hairless Turkish, i. 31, ii. 212; inter-crossing of different breeds of, i. 31; characters of different breeds of, discussed, i. 34-38; degeneration of European, in warm climates, i. 37, 39; ii. 267, 295; liability to certain diseases in different breeds of, i. 37 and *note*; causes of differences of breeds discussed, i. 39-45; catching fish and crabs in New Guinea and Tierra del Fuego, i. 41; webbing of the feet in, *ibid.*; influence of selection in producing different breeds of, i. 42, 45; retention of original habits by, i. 191; inheritance of polydactylism in, i. 549; feral, ii. 6; reversion in fourth generation of, ii. 8; of the Pacific Islands, ii. 64, 205, 393; mongrel, ii. 70; comparative facility of crossing different breeds of, ii. 80; fertility of, ii. 88, 134; interbreeding of, ii. 98-100; selection of, among the Greeks, ii. 186, 194; among savages, ii. 191, 192; unconscious selection of, ii. 196, 197; valued by the Fuegians, ii. 199, 200; climatal changes in hair of, ii. 268; production of drooping ears in, ii. 291; rejection of bones of game by, ii. 293; inheritance of rudiments of limbs in, ii. 306; development of fifth toe in, ii. 309; hairless, deficiency of teeth in, ii. 319; short-faced, teeth of, ii. 337; probable analogous variation in, ii. 341; extinction of breeds of, ii. 421.
- DOMBRAIN, H. H., on the auricula, ii. 339.
- DOMESTICATION, essential points in, ii. 400, 401; favourable to crossing, ii. 88, 89; fertility increased by, ii. 89-91, 158.
- DOMESTICATED animals, origin of, ii. 144, 145; occasional sterility of, under changed conditions, ii. 145, 146.
- DONDERS, Dr., hereditary hypermetropia, i. 453.
- DORKING fowl, i. 237, 274; furculum of, figured, i. 282.
- DORMOUSE, ii. 135.
- DOUBLE flowers, ii. 151, 152, 155, 156; produced by selection, ii. 184.
- DOUBLEDAY, H., cultivation of the filbert pine strawberry, i. 376.
- DOUGLAS, J., crossing of white and black game-fowls, ii. 70.
- DOWNING, Mr., wild varieties of the hickory, i. 327; peaches and nectarines from seed, i. 360, 361; origin of the Boston nectarine, i. 361; American varieties of the peach, i. 364; North American apricot, i. 366; varieties of the plum, i. 368; origin and varieties of the cherry, i. 368, 369; "twin-cluster pippin," i. 370; varieties of the apple, i. 372; on strawberries, i. 373, 375; fruit of the wild gooseberry, i. 378; effects of grafting upon the seed, i. 472; diseases of plum and peach tree, ii. 213; injury done to stone fruit in America by the "weevil," ii. 217; grafts of the plum and peach, ii. 247; wild varieties of pears, ii. 248; varieties of fruit-trees suitable to different climates, ii. 296.
- DOWNING, Mr. J., sterility of short-horns, ii. 97.
- Draba sylvestris*, ii. 147.
- DRAGON (pigeon), i. 146, 149.
- "DRAIJER" (pigeon), i. 164.
- DRINKING, effects of, in different climates, ii. 279.
- DROMEDARY, selection of, ii. 190