

- SCROPE**, on the Scotch deerhound, ii. 49, 100.
- SCUDDER**, Dr., on re-growth, ii. 359.
- SEBRIGHT**, Sir John, effects of close inter-breeding in dogs, ii. 199; care taken by, in selection of fowls, ii. 181.
- Secale cereale*, ii. 241.
- SEDGWICK**, W., effects of crossing on the female, i. 436; on the "Porcupine man," i. 448; on hereditary diseases, i. 451; hereditary affections of the eye, i. 453, ii. 54; inheritance of polydactylism and anomalies of the extremities, i. 458, 459; morbid uniformity in the same family, i. 460; on deaf-mutes, i. 466; inheritance of injury to the eye, i. 469; atavism in diseases and anomalies of structure, ii. 8; non-reversion to night-blindness, ii. 10; sexual limitation of the transmission of peculiarities in man, ii. 48, 49; on the effects of hard-drinking, ii. 280; inherited baldness with deficiency of teeth, ii. 319, 320; occurrence of a molar tooth in place of an incisor, ii. 375; diseases occurring in alternate generations, ii. 396.
- SEDILLOT**, on the removal of portions of bone, ii. 286
- SEEDS**, early selection of, ii. 188; rudimentary, in grapes, ii. 306; relative position of, in the capsule, ii. 337.
- SEEDS** and buds, close analogies of, i. 444.
- SEEMANN**, B., crossing of the wolf and Esquimaux dogs, i. 22.
- SEGREGATION** of characters, i. 425, 439.
- SELBY**, P. J., on the bud-destroying habits of the bullfinch, ii. 217.
- SELECTION**, ii. 176-236; methodical, i. 224, ii. 178-195; by the ancients and semi-civilised people, ii. 185-195; of trifling characters, ii. 193-195; unconscious, i. 224, 227, ii. 158, 195-202; effects of, shown by differences in most valued parts, ii. 202-205; produced by accumulation of variability, ii. 205-208; natural, as affecting domestic productions, ii. 169-174, 209-219; as the origin of species, genera, and other groups, ii. 425-428; circumstances favourable to, ii. 219-226; tendency of, towards extremes, ii. 226-229; possible limit of, ii. 229; influence of time on, ii. 230, 232; summary of subject, ii. 234, 236; effects of, in modifying breeds of cattle, i. 96; in preserving the purity of breeds of sheep, i. 103, 104; in producing varieties of pigeons, i. 222-229; in breeding fowls, i. 244, 245; in the goose, i. 305; in the canary, i. 311; in the gold-fish, i. 312; in the silkworm, i. 316, 317; contrasted in cabbages and cereals, i. 341; in white mulberry, i. 354; on gooseberries, i. 378; applied to wheat, i. 335, 336; exemplified in carrots, &c., i. 345; in potato, i. 351; in the melon, i. 383; in flowering plants, i. 388; in the hyacinth, i. 395; applied to bud-varieties of plants, i. 443; illustrations of, ii. 416-424.
- SELECTION**, sexual, ii. 51.
- SELF-IMPOTENCE** in plants, ii. 112-122; in individual plants, ii. 117-120; of hybrids, ii. 158.
- SELWYN**, Mr., on the Dingo, i. 26.
- SELYS-LONGCHAMPS**, on hybrid ducks, i. 199, ii. 20, 140; hybrid of the hook-billed duck and Egyptian goose, i. 296.
- SERIDGE**, on the St. Valéry apple, i. 371.
- SERPENT** melon, i. 383, ii. 324.
- SERRES**, OLIVIER DE, wild poultry in Guiana, i. 249.
- SESAMUM**, white-seeded, antiquity of the, ii. 425.
- Setaria*, found in the Swiss lake-dwellings, i. 335.
- SETTEGAST**, sheep poisoned by buck-wheat, ii. 331.
- SETTERS**, degeneration of, in India, i. 39; Youatt's remarks on, i. 43.
- SEX**, secondary characters of, latent, ii. 26, 27; of parents, influence of, on hybrids, ii. 255.
- SEXUAL** characters, sometimes lost in domestication, ii. 50.
- SEXUAL** limitation of characters, ii. 47-51.
- SEXUAL** peculiarities, induced by domestication in sheep, i. 98; in fowls, i. 264-267; transfer of, i. 268-270.
- SEXUAL** variability in pigeons, i. 169, 170.
- SEXUAL** selection, ii. 51.