secondary series, i. 490, 491; number and extent of recent and fossil species, i. 491; leaves fossil in oolite of Yorkshire and at Stonesfield, i. 492; in coal formation of Bohemia, i. 492; habit and structure of,i. 492; intermediate character of, i. 493; fossil on the coast of Dorset, i. 494; peculiarities in structure of trunk of, i. 494, 496; mode of increase by buds, i. 499; link supplied by the discovery of, i. 502.

Cycadites, once natives of England, i. microscopic mycrophyllus, structure of, 497-541; megalophyllus, buds in axillæ of scales, i. 500; resemblance of fossil and living spe-

cies, i. 501.

Cycas revoluta, buds on trunk of, i. 499; circinalis, height of, i. 494. Cycloidean order of fishes, i. 270.

Cypris, microscopic shells of, in Wealden formation, i. 118; in coal formation near Edinburgh, i. 275.

DAPEDIUM, scales of, i. 282.

D'Alton, his figures of megatherium, i. 142.

Darmstadt, remains of mammalia in

museum at, i. 91.

Darwin, Mr. C., megatherium found by, ii. 20; his observations on the Cordilleros of Chili, i. 549; new fossil animals found in S. America by, i. 603.

Dasyurus, fossil, in Auvergne, i. 618. Daubeny, Dr., on cause of thermal springs, i. 570; on indivisibility of ultimate particles of matter, i. 576.

Days, supposed to imply long periods, i. 17.

Dax, shells found at, i. 357.

Death, certain, desirable for irrational animals, i. 130.

Dekay, Dr., discovered coprolites in

New Jersey, i. 190.

De la Beche, his belief in successive creations of new species, i. 55; his figures of ichthyosauri, i. 176; on different specific gravity of shells, i. 302; observations on living polypes of caryophyllia, i. 444; observations on genera of corals in transition rocks, i. 445.

Deluge, Mosaic stratified rocks not pro-

duced by, i. 16.

Depression, proofs of in I. Portland, i. 496.

Deshayes, his division of tertiary strata, i. 78.

Desnoyers, M., on Faluns of Tourraine, i. 90.

Desmarets, memoir on fossil crustaceans, i. 388.

Detritus, origin of strata from, i. 42.

Development, theory of disproved by geological phenomena, i. 54; theory of opposed by Cuvier, i. 87; definition of, i. 585.

Dillwyn, Mr., his paper on tracheli-

pods, 298, 301.

Diluvium, animals immediately preceding the formation of, i. 95.

Dinotherium, largest of terrestrial mammalia, i. 92; found at Epplesheim, in miocene strata, i. 135, 136; description of by Kaup, i. 136, 603; occurs in France, Bavaria and Austria, i. 136, 601; giganteum, eighteen feet long, i. 136; shoulder blade of, like that of a mole, i. 136; uses of tusks in the lower jaw of, i. 138; molar teeth of resemble those of tapirs, i. 137; an aquatic herbivorous animal, i. 137, 139; adapted to a lacustrine condition of the earth, i. 139; fossil head of found entire, i. 603, Pl. 2'; localities and description of, ii. 18; proboscis and claws of, ii. 19.

Dirt bed, soil of subterraneous forest in Portland, i. 495, 496, 613.

Disturbing forces, beneficial results of, i. 539—541, 548.

D'Orbigny, M., his classification of cephalopodous mollusks, i. 382; trilobites and shells found in the Andes by, i. 389.

Draco volans, has no true wings, i.

225.

Dufrénoy, on iron mines in the Pyrenees, i. 549.

Dujardin, new class of rhizopodes discovered by, ii. 64.

Dumfries, fossil footsteps near, i. 259. Duncan, Dr., his discovery of fossil footsteps near Dumfries, i. 259.

Durdham Down, remains of reptiles at, i. 115.

Durham, salt springs in coal formation near, i. 72.

Dykes, intersect strata of every age, i. 48; gradations of from lava to granite, i. 48; various crystalline rocks composing, ii. 5; changes produced by, on adjacent rocks, ii. 9.

Dynamics, geological, extent of, i. 36.